

BAROMETER ANALOG

To measure atmospheric pressure range 700-800 mm hg & 940-1060 mb aneroid

- B1 BARIGO CAT NO.3781 THERMO/HYGRO/BARO COMBINED IN ABS PLASTIC BODY
- B2 BARIGO Cat no.184 Metal Frame Dial size 100mm German Make
BARO-THERMO-HYGRO COMBO
- B3 Baro Thermo/ Hygro Lutron PHB 318 Digital (Pen Shape Pocket Model)
- B4 Lutron SP82 AC 3 in 1 Baro / Compass / Altimeter
- B5 TFA/ China Digital Barometer Th Hy Combined table cum wall Model with Wireless sensor for outdoor temp GAIA MODEL
- B6 BARO/TH/HYG MHB 382SD CARD REAL TIME DATA Logger (Wall Type Unit)
BOD INCUBATOR DEEP VISION MAKE POWDER COATED WITH DIGITAL TEMP CONTROLLER
- B7 Size 400x450x600 mm 4CFT INNER SS OUTER MS Powder coated with digital temp cont 5 to 100c
- B8 Size 410x500x850 mm 6CFT INNER SS OUTER MS Powder coated with digital temp cont 5 to 100c

BOD MEASUREMENT (Installation and DEMO charges applicable)

- B9 BOD Measurement System LOVIBOND BD 600 6 measuring sensors code no 2444460
HANNA BOD / DO Meter Model HI 5421-02 " Refer - DO Meter IN D"
BOMB CALORIMETER
Instrument to determine calorific value of oil, coal, food stuff etc.
- B10 Advance Make Bomb Calorimeter Fully Automatic Compact design with Printer Model No BCM IM
- B11 Advance Make Bomb Calorimeter Model BCM-GP With Printer with Auto Gas Filling System, with Printer complete with 0.01°C accuracy
Digital Temp. Indicator Push Fit Type Gas Filling System latest Combustion Bomb Design that does not use a Schrader Valve
- B12 Advance Make Bomb Calorimeter Model BCM-G W/O Printer with Auto Gas Filling System , complete with 0.01°C accuracy Digital Temp.
Push Fit Type Gas Filling System latest Combustion Bomb Design that does not use a Schrader Valve or has the problems associated with the same.
- B13 Advance Make Bomb Calorimeter Model BCM-P with Printer Model, New Gas Filling System Indian.Digital

B14 Advance Make Bomb Calorimeter Model BCM -D without Printer Model, New Gas Filling System Indian Digital

B15 Rajdhani RSB 5 make digital with safety device complete set with SS bomb 300ml Capacity & SS crucible, water jacket, vessel, motorized

stirrer, briquette press, firing unit, pressure gauge with rubber pipe fittings, 2 meter NI chrome wire 40swg and digital thermometer 0.01LC

B16 Rajdhani Digital Bomb Calorimeter With Automatic Calculation, Oxygen Combustion Bomb With Works Test Certificate

For Hydraulic Pressure 0.001lc - Model RSB-5A

B17 RICO RSBT 5 make digital with safety device complete set with SS bomb 300ml Capacity & SS crucible, water jacket, vessel,

motorized stirrer, briquette press, firing unit, pressure gauge with rubber pipe fittings, 2 meter NI chrome wire 40swg and digital thermometer

B18 RICO RSBT 7 Bomb Calorimeter With Temp Accuracy 0.001°C Auto Calculation of calorific value with Printer

B19 Installation charges for BOMB CALORIMETERS to be added separately within Chennai TamilNadu

B20 Installation charges for BOMB CALORIMETERS to be added separately Outside TamilNadu

[Items required for Bomb Calorimeters Demo 1. Industrial Oxygen Cylinder 2. Digital Balance, 0.1mg / Single pan balance]

BOMB CALORIMETER :OPTIONAL ACCESSORIES

B21 Nichrome wire 50 meters in reel

B22 Digital Beckman thermometer with Firing unit and Temp. Probe

B23 Crucible Holding Ring

B24 Firing Unit with Digital thermometer with printer Advance make

B25 Spare bomb with New auto gas fill system Advance make

B26 Non Returning Valve for Gas filling (NRV) Set of 2

B27 Bomb Body 'O' Ring (Set of 2)

B28 SS crucible for BC

B29 Spare bomb SS for Advance

B30 Spare thread

B31 Electrodes Set with Bush for Bomb Lid

- B32 Temp Sensor only
- B33 Gas Filling 'O' Ring Small (Set of 3)
- B34 Stirrer Motor Belt

BUNSEN BURNER ELECTRICAL

- B35 Electric Bunsen with energy regulator up to 350°C Rating 230V
- B36 Spare Cup with Coil

BUNSEN BURNER GAS & BURETTE STAND

- B37 Bunsen Burner Metal heavy without Stop clock
- B38 Bunsen Burner With stop cock / Without Stop Cock
- B39 Tripod stand Metal Heavy Body for Bunsen Burner
- B40 Retort stand Metal Heavy Body
- B41 Burette stand SS- (stainless steel)
- B42 FISHER clamp single metal
- B43 FISHER Clamp Double Metal

BALL MILL

- B44 Rico make Ball Mill 1Kg. with SS Jar
- B45 Rico make Ball Mill 2Kg. with SS Jar

(ALL BALANCE ARE FOR SCIENTIFIC INVESTIGATION & RESERCH USE ONLY)

BALANCES SHIMADZU : ON BULK & ADVANCE PAYMENT ASK FOR SPECIAL PRICE OFFER On LP.

- B46 Model AP225WD Semi micro Internal calibration 0.01mg/0.1mg Cap 102g/220g Pan Size 91Dia
- B47 Model AUW220D Semi Micro Internal Calibration 0.01mg/0.1mg 82g/220g Pan size Ø 80
- B48 Model AUW120D SEMI MICRO internal calibration 0.01mg/0.1mg 32g/120g Pan size 80mm
- B49 Model AUX 220 Capacity 220gm Resolution 0.1mg PAN SIZE 80 DIA External Calibration
- B50 Model ATX 224R Capacity 220gm Resolution 0.1mg PAN SIZE 91 DIA Internal Calibration
- B51 Model ATY224 Capacity 220gm Resolution 0.1mg PAN SIZE 90 DIA
- B52 Model TX323L Capacity 320gm Resolution 1 mg / 0.001g PAN SIZE 110 DIA External calibration

- B53 Model BL220H Capacity 220 gm Resolution 0.001g(1mg) PANSIZE 100X100
B54 Model BL2200H Capacity 2200 gm Resolution 0.01g(10mg) PANSIZE 160X124
B55 Model ELB300 Capacity 300 gm Resolution 0.01g (10mg) PAN SIZE 110 DIA
B56 Model ELB3000 Capacity 3KG Resolution 0.1g (100mg) PAN SIZE 170 x 130 DIA

(All Shimadzu Price Are Company List Price Please Ask For Qty Discount)

BALANCE SCAL-TEC

- B57 Model AXIS AGN220 Capacity 220 gm Resolution 0.1mg/0.0001gm
B58 Model SAB 224CL Capacity 220 gm Resolution 0.1mg/0.0001 gm
B59 Model SAB 203L Capacity 200 gms Resolution 0.001 gm

BALANCE ACZET MAKE

- B60 Model CG223L Capacity 200 gms Resolution 0.001 gm LOAD CELL BALANCE
B61 Model CY223 Capacity 200 gms Resolution 0.001 gm UNIBLOCK BALANCE
B62 Model CTG602 Capacity 600 gms Resolution 0.01 gm
BALANCE SAFFRON INDIAN MAKE HIGH ON QUALITY / LOW ON PRICE
B63 MODEL SES224 CAPACITY 220 GMS RESOLUTION 0.1MG (0.0001GM) internal calibration
B64 MODEL SES204 CAPACITY 220 GMS RESOLUTION 0.1MG (0.0001GM) external calibration
B65 MODEL SES200 CAPACITY 200 GMS RESOLUTION 0.001GM
B66 MODEL SES300 CAPACITY 300 GMS RESOLUTION 0.001GM
B67 MODEL SES202 CAPACITY 202s GMS RESOLUTION 0.01GM
B68 MODEL SES10T CAPACITY 10KG RESOLUTION 0.5GM
B69 MODEL SES302 CAPACITY 300GMS RESOLUTION 0.01GM GREEN DISPLAY
B70 MODEL SES602 CAPACITY 600GMS RESOLUTION 0.01GM GREEN DISPLAY

BALANCE INFRA ELECTRONIC

- B71 Model IN200 Capacity 200 gms Resolution 0.01 gm Display LED
B72 Model IN300 Capacity 300 gms Resolution 0.01 gm Display LED
B73 Model IN600 Capacity 600 gms Resolution 0.01 gm Display LED
B74 Model IN3000 Capacity 3000 gms Resolution 0.1 gm Display LED
B75 Model IN1000 Capacity 1000 gms Resolution 0.1 gm Display LED

B76 Model IN2000 Capacity 2000 gms Resolution 0.1 gm Display LED

B77 Model IN30KG Capacity 30 kg Resolution 1gm Display LED

B78 Model IN600KG Capacity 600 kg Resolution 2 gm Display LED

B79 Model IN201L Capacity 200 gm Resolution 0.001 gm Display LCD

BALANCE KEEROY CHINA

B80 Digital China balance available in Keeroy without adaptor (Not serviceable) 600 (0.01)

B81 Digital China balance available in Keeroy without adaptor (Not serviceable) 3KG (1GM)

DENSITY KIT FOR DIGITAL BALANCE

B82 Density Kit for powders Indian for Digital Balances

B83 Density Kit for Liquids Indian for Digital Balances

BALANCES SINGLE PAN ELECTRO-MECHANICAL

B84 Model K-14 Deluxe K-Roy Single pan mechanical digits analytical balance Capacity 200gms. Accuracy 0.1mg. (0.0001gm)

B85 Dhona 200D Single pan mechanical digits analytical balance Capacity 200gms. Accuracy 0.1mg

BALANCES DOUBLE PAN LABORATORY K.roy

B86 Physical balance Model HSCH Capacity 200gms. Accuracy 1mg. In wooden box with glass

B87 Chemical balance Model HST Capacity 200gms. Accuracy 1 mg. In wooden box with glass

B88 Analytical balance Model H1 Capacity 200gms. Accuracy 1 mg. In wooden box with glass

DIGITAL BATHROOMSCALE

B89 Digital Samso Glass Top

B90 Digital Belita China Glass Top

B91 Analog type body scale China make

KITCHEN SCALE / ROUGH BALANCE

B92 Kitchen Scale Digital Display 5 Kg

BREATH ALCOHOL DETECTOR [Not serviceable] (Battery Operated)

B93 Model Breath alcohol meter China make

B94 Model AT 6000 Breath Alcohol meter China

B95 Model ALCO SCAN AL6000 Breath Alcohol US pattern CE, FDA, Australian standard approved

B96 Model CA 2000 Breath Alcohol Meter China

- B97 Spare Mouth piece for china
- B98 Spare Mouth Piece for Road Test
- B.P APPARATUS / STETHOSCOPE / GLUCOMETER
- B99 B.P.Mercury filled ISI Mark BIOCON
- B100 B.P DIGITAL OMRAN Regular Type Model 8712 AP NEW MODEL
- B101 Stethoscope Deluxe
- B102 Stethoscope Regular Model
- B103 Palm top ECG Machine handy portable with LCD Graphics(PALM TYPE) Till Stock Last
- B104 Digital Gluco Meter JOHNSON & JOHNSON ONE TOUCH

BLOOD LANCETS

- B105 MEDIPOINT USA (Pkt of 200)
- B106 Blood Lancet Biocon China (Pkt. Of 200 No's)
- BLOOD CELL COUNTER
- B107 Blood cell counters with 5 keys and one totalizer with bell
- B108 Blood cell counters with 8 keys and one totalizer with bell
- B109 Blood cell counter Digital Economy Model with 8 keys & totalizer china make
- B110 Blood cell counter Digital EI - DV Model 368 with Stopwatch and Timer with % calculation

BLOOD MIXER MOTORIZED

- B111 Model 524 Blood Mixer Fixed Speed EI Deep Vision 4 Rollers of 230 mm Long
- BLOOD MIXER MOTORIZED REMI
- B112 SeroRoll Roller Mixer with 6 rollers to make the uniform sample for better results
- BENNY - MILK TESTING
- B113 Butyrometer 0-10% Benny (STOPER & KEY NOT INCLUDED WILL BE EXTRA ON ORDER)
- B114 butyrometer 0-10% Benny Double tested
- B115 Butyrometer glass other ranges for Cream, Butter, Cheese etc. (0-6% / 0 8% / 0 - 20% / 40%/60%/70%/80%/90%)

B116 Stopper & Key for Butymomter [stopper Rs.12-50 + key Rs.17-50]

B117 Tilt Measure 1 ml or 10 ml Plastic each

B118 Butyro Stand Plastic

B119 Milk Pipette 10.75ml

*Gerber Centrifuge Please Refer Index G34 * Lactometers Please Refer Index H

DISPENSER / BOTTLE TOP DISPENSER

B120 Capacity 0 to 5ml or 10ml Indian Make Top-Tech with bottle

Bottle Top Dispenser LENTUS MICROLIT for Hydroflouric Acid with recirculation valve. NEW

B121 0.25 to 2.5ml / 0.5 to 5ml / OR 1 - 10ml ANY ONE

B122 2.5 to 30ML OR 5 to 60ml

BOTTLE TOP DISPENSER FULLY AUTOCLAVABLE - SCITUS Microlit (New Model)

B123 SCI-2.5 Range 0.25 - 2.5 ml Microlit

B124 SCI-5 Range 0.5 - 5 ml Microlit

B125 SCI-10 Range 1-10 ml Microlit

B126 SCI-30 Range 2.5 - 30 ml Microlit

B127 SCI-60 Range 5- 60 ml Microlit

B128 SCI-100 Range 10- 100 ml Microlit

BOTTLE TOP DISPENSER WITH RE-CIRCULATION VALVE - BEATUS Microlit (New Model)

B129 BEAT-2.5 Range 0.25 - 2.5 ml Microlit

B130 BEAT-5 Range 0.5 - 5 ml Microlit

B131 BEAT-10 Range 1 -10 ml Microlit

B132 BEAT-30 Range 2.5 - 30 ml Microlit

B133 BEAT-60 Range 5 - 60 ml Microlit

B134 BEAT-100 Range 10 - 100 ml Microlit

BOTTLE TOP DISPENSER WITH DUAL INLET TECHNOLOGY - ULTIMUS Microlit (New Model)

B135 ULT-2.5 Range 0.25 - 2.5 ml Microlit

B136 ULT-5 Range 0.5 - 5 ml Microlit

- B137 ULT-10 Range 1 - 10 ml Microlit
- B138 ULT-30 Range 2.5 - 30 ml Microlit
- B139 ULT-60 Range 5 - 60 ml Microlit
- B140 ULT-100 Range 10 - 100 ml Microlit
- MOTORIZED BURETTE - e- BURETTE Microlit (New Model)
- B141 TI-10 Range 10 ml Microlit
- B142 TI-25 Range 25 ml Microlit
- B143 TI-50 Range 50 ml v
- B144 MICROLIT E-BURETTE SOFTWARE 21 CFR Compliant (for Titration, Data Capturing & Calculations)
- Server set up & one client license

BURSTING STRENGTH TESTER

- B145 RICO Bursting Strength Tester Digital for Cardboard / Corrugated Sheet
- BUFFER SOLUTIONS EUTECH ORP
- B146 Buffer Solutions for ORP 86 mv/263mv or 475 mv anyone in 480 ml pack
- BUFFER SOLUTIONS EUTECH PH/TDS/COND
- Buffer Solutions 480 ml Bottle Calibrated with Certificate of analysis from EUTECH
- B147 pH 1.68pH, 4.01pH, 6.86pH, 7pH, 9pH, 9.18pH, 10.01pH, 12.45 pH (ANY ONE)
- B148 TDS 50ppm, 300ppm, 1000ppm, 3000ppm (ANY ONE)
- B149 COND 84 μ s, 100 μ s, 500 μ s, 1413 μ s, 2764 μ s, 5 ms (ANY ONE)
- B150 Buffer Solutions 480 ml EUTECH and Conductivity Solution 12880 us / 111.8 ms (Any one)
- B151 Buffer Solutions Salinity 5ppt, 25ppt, 45 ppt 480 ml EUTECH Any one
- B152 Buffer Solution Indian For Ph with Certificate

BUFFER SOLUTIONS FOR TURBIDITY

- B153 Buffer Solution For Turbidity Aquasol Indian Make 100ml Range 10/20/50/100/Or 500ntu Any One
- B154 Buffer Solution For Turbidity Aquasol Indian Make 100ml Range 800 Ntu Or 1000 Ntu
- B155 Buffer Solution Indian 400 Ntu Turbidity Bottle Of 250 MI
- B156 Calibration Kit Eutech ECTN100CALKIT (0.02,20.0,100,800NTU) for TN100IR 4X60ML IMPORTED
- OTHER SOLUTIONS

B157 Electrode Storage Solution Eutech 480ml Ecre005

B158 Protin Cleanning Solution For Ph Electrode Eutech Make 480 MI Cat No-Ecdpcbt-

B159 Buffer Sachet 20MLX20 Conductivity 10us Eutech