

PH METERS PEN TYPE EUTECH SINGAPORE MAKE

- P1 Model ECO PH TEST 1 Resolution 0.1pH Ph buffer Point 1pt Range -1 to 14pH Small Display with Auto Cal.
- P2 Model ECO PH TEST 2 Resolution 0.1pH(ATC) Ph buffer Point 3pt Range -1 to 14pH Small Display with Auto Cal.
- P3 Model pH EXPERT EUTECH ph Range 0 - 14 3 point calibration
- P4 Model PH TEST 10 Resolution 0.1pH Ph buffer Point 3pt with ATC Range -1 TO 15pH Big Display
- P5 Model PH TEST 20 Resolution 0.01pH Ph buffer Point 3pt with ATC Range -1 TO 15pH Big Display
- P6 Model PH TEST 30 Resolution 0.01pH Ph buffer Point 3pt with ATC Range -1 TO 15pH TEMP. Display
- P7 Model PH TEST 10 BNC Resolution 0.01pH Ph buffer Point 3pt Range -1 to 15pH without Electrode
- P8 Model PH SPEAR Resolution 0.01pH Ph buffer Point 3pt Range -1 to 15pH Tipped electrode for semi solids
- P9 PHSENSOR 03DJ Electrode Spare Replacement Single Junction for pH 10 / 20 / 30

***ECO Models are with NON-REPLACEABLE SENSORS**

DURALAB / ERMA / AQUASOL / HM / HANNA

- P10 Model pHep (Box Pack) Flat 107 Model Range 0 to 14pH Resolution 0.1pH SMALL Display
- P11 Model pH Hanna HI98107 PHEP Family Range 0 to 14pH Resolution 0.1pH BOLD Display
- P12 Model pH ERMA Model 035 WP Range 0 to 14pH Resolution 0.01pH BOLD Display
- P13 Model pH AQUASOL PH 01 Range 0 to 14pH Resolution 0.1pH BOLD Display
- P14 Model Ph Duralab Range 0 to 14 Ph Resolution 0.1pH BOLD Display
- P15 Model pH HM80 Water Proof Range 0 to 14 Ph Resolution 0.1pH SMALL Display
- Model pH-200 HM Water Proof Range 0 to 14 ph Resolution 0.01ph Large Display

PH METERS PORTABLE EUTECH

- P16 Model pH602 PLUSK Parameter pH , mv no memory power battery no Output
- P19 Model pH WP 150 02K Parameter pH, Mv, 150 Memory Power main/Battery no Output
- P20 Model pH WP 450 02K Parameter pH, Ion, mv 500 Memory Power main/Battery RS 232 Output
- P21 Model pH WP60042K Parameter pH, Mv 500 Memory Power main/Battery RS 232 Output
- P22 Model pH WP61042K Parameter pH, Mv 500 Memory Power main/Battery RS 232 Output

PH METERS PORTABLE LUTRON

- P23 LUTRON pH 201 Range 0-14 pH portable with epoxy PE 03 Electrode
- P24 LUTRON pH 208 with RS232 Port with PE03 Electrode and TP07 TEMP Probe
- pH BENCH MODEL EI-DEEP VISION
- P27 Model 1010 Deep vision Microprocessor pH with 3 Point Calibration Accuracy 0.02 pH LED Display
- P28 Model 1013 Deep vision Microprocessor pH with 3 Point Calibration Accuracy 0.002 pH LCD Display
- P29 Model 1012 Deep Vision Microprocessor pH 16X12 LCD Display measuring pH, mv, Temp, ATC, Auto buffer
- Recognition with Accessories, Data and Storage and External Printer attachment port
- P30 Model 1015 Deep vision Microprocessor pH meter with 5 point calibration Range - 2 to 20 pH Accuracy ± 0.002 pH Storage 999
- P31 Model 1016 Deep vision uP Based pH/ION/ MV Meter with 5 point calibration Range - 1 to 14 pH Accuracy ± 0.0012 pH, Storage 999 ION Range 0.001 to 19999 ppm Accuracy $\pm 0.5\%$ (ION Electrodes Optional)
- P32 Model 101 Deep Vision Deluxe pH meter ATC with combined Indian Epoxy gel filled electrode 3.5
- Digital LED Display, Range 0-14 pH and 1 mv. with stand Resolution 0.01ph NEW
- P33 Model 101 Deep Vision Deluxe pH meter ATC with Indian glass combined electrode NEW
- P34 Model 111 Deep Vision pH meter with manual temp compensation 3.5 digital LED Display combined Electrode Range 0-14 pH 0 to 1999 mv NEW
- P35a Model 111 Deep Vision pH meter with manual temp compensation 3.5 digital LED Display Indian Epoxy Electrode Range 0-14 pH 0 to 1999 mv NEW
- P35b Model 111 Advance + Deep Vision with pH meter with Built In Stirrer (Latest Model)
- P36 Model VISION ALPHA 01D uP Based pH meter 3.5 LED Display Range 0 - 14 pH combined glass electrode
- PH BENCH MODEL DURALAB MAKE
- Microprocessor based pH meter DURALAB SPM 107 Range 0-14 pH / ORP/ Temp ATC with electrode, 3 point calibration.

P37 Microprocessor based pH meter DURALAB SPM 105 Range 0-14 pH / ORP/ Temp ATC with electrode, 3 point calibration,

With Printer provision ,1000 memory

EUTECH BENCH MODELS

P39 PH TUTOR - DS Parameter 0-14 Ph pH Resolution 0.01 CAL Point 3 Point Accessories ATC Electrode , Swivel arm stand.

P40 PH TUTOR - D Parameter 0-14 Ph pH Resolution 0.01 CAL Point 3 Point Accessories 3in1 ATC pH probe with Indian stand

P41 PH TUTOR - DI Parameter 0-14 Ph pH Resolution 0.01 CAL Point 3 Point/3in1 ATC pH probe with Indian swivel stand

P42 PH TUTOR - S Parameter 0-14 Ph pH Resolution 0.01 CAL Point 3 Point Accessories Elect / Indian Stand

P43 PH TUTOR - L Parameter 0-14 Ph pH Resolution 0.01 CAL Point 3 Point Accessories Elect lutron electrode/Indian stand

P44 PH TUTOR - I Parameter 0-14 Ph pH Resolution 0.01 CAL Point 3 Point Accessories Indian Glass Elect and Indian Stand

P45 PH 210042S Parameter pH, Ion, Mv pH Resolution 0.1/0.01/0.001 MEMORY 100 CAL Point 5Point Output RS 232

Accessories pH Elect/Arm/Temp. Probe

P46 ECPH70042S Parameter pH,MV,Temp pH Resolution 0.01 CAL Point 5 Point Accessories Elec/Arm/Temp.Probe.Range -2 to 16pH

P46a ECPH70042GS pH 700 meter with glass body, open pore pH electrode EC620131,

ATC Probe PH5TEMB01P, integral electrode holder and 100/240 VAC Adapter

P47 ECPH270042GS pH,MV,Temp pH Resolution 0.001 CAL Point 6 Point Output RS 232 Electrode ECFG7370101B Range -2 to 20pH

P48a ANTECH AN 270 Printer Suitable for ECPH270042S model .

P48b ECPH27005E pH 2700 meter with glass body, open pore pH electrode, EC620131, ATC Probe PH5TEMB01P,

integral electrode holder ,100/240 VAC Adapter and RS232 cable Range -2 to 20ph

P48c ECPH27005E-P pH 2700 meter with glass body,open pore pH electrode EC620131, ATC Probe PH5TEMB01P,

,integral electrode holder ,100/240 VAC Adapter, RS232 cable and AN-270 Dot Matrix Printer

ELECTRODE EUTECH MAKE

- P49 ECFC7252101B [non ATC] Electrode for pH test10 BNC / Tutor / ph510 / ph700
- P50 ECFC7352901B (ATC) 3 in 1 pH / Electrode for pH 5/6.pH 11/110/2100.pH TUTOR Ds & D with Temp. Sensing)
- P51 ECFC7252201B Double junction Epoxy Electrode
- ECPH5TEM01P temp probe only 1m cable for for Ion 6+, pH 6+, pH 5+, pH 110 , pH11, ph tutor/510

pH METER SPARE ELECTRODES / STANDS

- P53 Spare Lutron PE-03 ph combined electrode Gel filled BNC jack with protection cover
- P54 Spare ph combined electrode Indian Deep Vision with 5mtrs. Cable Gel filled & with Toughened glass
- P55 Spare Deep Vision ph combined electrode Gel filled with toughened glass covered with 1mtr. Cable
- P56 Spare Deep Vision ph combined electrode KCL filling type with suitable jack for Elico / Digisun / Systronics /DV
- P57 Spare Duralab ph electrode epoxy body gel filled
- P58 Spare temp probe for ATC Model
- P59 Spare Electrode stand New spring arm Model with base
- P60 Spare stand pH Electrode EI- DV
- P61 Spare Electrode stand ordinaty clamp type
- P62 Refillable pH combination Electrode Glass Body Toshniwal make CA-11 Model
- P65 PH Buffer Solution EUTECH make 480 ml bottle with calibration certificate Available Ranges 1.68 / 4.01/ 6.86
- P66 pH Electrode Storage Solution 480ml with Calibration Certificate ECRE005
- SPECIAL ELECTRODES AND ION SPECIFIC ELECTRODES PRICES MAY BE QUOTED ON REQUEST
- ORP Buffer Ref. Index - O
- MULTIPARAMETERS:- COMBO METERS PEN TYPE EUTECH
- P67 CTS EXPERT Eutech COND/ TDS-20 ppt / SALINITY / TEMP. Combo meter
- P68 PCTESTr35 Parameters Ph/Cond/Temp Range 0.0 to 14.0 Ph/0 to 1999 μ S/cm/2.00 to 20.00MS Resolution 0.1 Ph/1 μ S/cm/0.01 mS/cm Accuracy ± 0.1 pH / ± 1 μ S Large Display with temp
- P69 PTTESTr35 Parameters Ph/TDS/Temp Range 0.0 to 14.0Ph/0 to 999 ppm/1 to 10.00ppt

Resolution 0.1 Ph/1 ppm/0.01 ppt Accuracy ± 0.1 pH/ ± 1 ppm Large Display with temp IP 67 wp

P70 PCSTESTr35 Parameters Ph/Cond/TDS/Salinity/Temp Range 0.00 to 14.00Ph/0.0 to 20ms/0-10.00 ppt/

0 to 50 c Resolution 0.01Ph/1 μ S/cm/0.01 μ S/cm/ 0.1ppm/1 ppm Accuracy ± 0.1 pH / $\pm 0.1\mu$ S/ ± 0.1 ppm

Large Screen Display with temp

MULTIPARAMETERS:- COMBO METERS HANNA MAKE / HM MAKE

P71 HANNA HI 98129 (low Range) pH/Cond/Tds meter (or) HANNA HI 98130 (high Range) pH/Cond/Tds meter

HM COM 100 EC/ TDS / TEMP

HM COM80 Model COND /TDS Range 9990 uS/5000ppm Resolution 10 μ S/10ppm TEMP.BOLD Display

P72 HM COM 360 DUAL Sensor pH / TDS / COND/ Temp. Meter

MULTI PARA METER TESTER PORTABLE EUTECH / LUTRON / LOVIBOND

P73 ECPCWP45004k Parameters ph/cond/TDS Range -2.00 to 16.00/200ms/200ppt ORP YES POWER main/BT

P74 ECPDWP45004K pH/DO Range -2.00 to 16.00/20ppm ORP YES POWER main/BT

P75a EPCDWP65044K pH/ION/ORP/Cond/Sal/TDS/DO/Res Range -2.00 to 20.00/0.00-19900/(+/- 2000mv)

0-500ms/0-80 ppt/2-20Mohm/0-500ppt/90ppm Power battery/9V DC

P75b HM 200 pH /Cond /TDS/ Temp. Battery Operated Range pH 0-14pH, Cond 1-20ms, TDS 10000 ppm

P75c HM 500 pH /Cond /TDS/ Temp. Touch Screen Power Adaptor Range pH 0-14pH, Cond 1-20ms, TDS 10000 ppm

P76 MultiParameter Portable LUTRON YK2005WA to Measure (+) pH/ORP/COND/TDS/DO and Temp. with all probes

P77 Multiparameter Portable Lovibond Sneso Direct 150 Cat NO 724200 pH/COND/TDS/DO and Temp.with all probes(Only One)

BENCH MODEL EUTECH

P78 ECPC70043S Parameters PH/Mv/Cond/ TDS with Cond. Cell/pH Glass Electrode and stand. Dual Display.

P79 ECPC270043S PH/Mv/Ion/Cond/TDS/Resist/Salinity with Cond cell/ph Glass Electrode Dual Display Memory 500 / RS232

MULTIPARAMETER PHOTOMETERS / PALINTEST / LOVIBOND

- P80 214025 MD 610 Bluetooth Version Multiparameter Photometer Lovibond (Reagent extra cost)
- P81 PTH 7100 Palintest Multiparameter Photometer Palintest Unit only (Reagent are additional Cost as per your Requirments)
- P82 712000 Spectro Direct (Standard Model) Multiparameter Photometer Lovibond (Reagent extra cost)
- P83 ANTECH AN 270 Printer Suitable for ECPC270042S model .

MULTIPARAMETER WATER AND SOILTEST INSTRUMENTS INDIAN EI DEEPTION

- P84 Model 1160 Deep Vision Microprocessor based water & soil test kit briefcase for field purpose as well as Bench type for
measurement of pH 0-14/Cond.0-200 μ s/ TDS 0-200ppt / millivolt(orp) 0-1999 μ v //Salinity :0-50ppt Battery cum mains
operated/ 16x2 line bold LCD Display / Data storage facility up to 90 samples/ External Printer attachable
- P85 Model 191 Deep Vision Water and Soil Kit 3 ½ Digital LCD Display covering 6 Parameters: pH 0-14/Cond.0-20 μ s
/TDS 0-20ppt / /Turbidity 0-1000 NTU / Temp 0-100°C,Battery cum mains operated in Brief case for field purpose
- P86 Model 161 Deep Vision Water & Soil kit 3 ½ Digital LCD Display covering 6 Parameters: pH 0-14 / Cond. 0-200ms
TDS 0-200ppt / (orp) 0-1999/ Salinity 0-50ppt/ Temp 0-100°C, Battery cum mains operated, Briefcase
- P87 Model 172 Deep Vision Water and Soil kit 3 ½ digit LCD Display with 8 Parameters pH 0-14/Cond. 0-20 μ s/DO 20mg/L
TDS 0-20ppt/ Salinity 0-50ppt/Absorbance O.D / Turbidity 0-1000 NTU/ Colorimeter/ Temp 0-100°C,
Battery cum mains operated, in Briefcase suitable for Field purposes
- P88 Model 641 Deep Vision combo TDS and cond.meter table Model with both TDS and conductivity
- P89 Model 181 Deep Vision combo pH and cond.and Temp meter table Model with both pH and conductivity and Temp.
- P90 Model 1615 Deep Vision Combo pH,EC,TDS uP Bases LCD Display ATC with 1000 samples Storage
(Software for PC connection USB Interface @6000)

P91 Model 1602 Deep Vision Combo EC,TDS,Salinity uP Bases LCD Display ATC with 1000 samples Storage

(Software for PC connection USB Interface @6000)

P92 Model 1611 Deep Vision Combo pH,EC uP Bases LCD Display ATC with 1000 samples Storage

(Software for PC connection USB Interface @6000)

pH METER SOIL (ALSO FOR SEMI SOLIDS)

P93 pH meter Model pH220S handheld with tipped electrode for soil and semi solid BNC Connector Lutron , Taiwan make

P94 Spare tipped Electrode for Soil and Semi solids for pH 220 Lutron Make

P95 Spare tipped Electrode for Soil and Semi solids for pH 220 Indian Make

P96a Soil pH and Moisture meter cone type China make (similar to Takamura Model)

P96b Soil pH Meter Model pH 212 with Sharp Tip Imported Electrode Lutron PE 06

Soil Moisture meter Lutron PMS 714

Ref Page S

87,

POTENTIO METER EI-DEEPPVISION - Other High End Model Refer PHARMA ITEMS

P98 Deep Vision Potentiometer Digital Model 118 with with 4 Electrode reference/Glass/Platinum/Silver Range selector knob

Range 0 to +/-1999mv without Stirrer

P100 Deep Vision Potentiometer Digital Model 119 with Platinum and Reference Electrodes Range - 1999 mv to + 1999 mv

POTENTIO METER EI-DEEPPVISION - High End Model EI DEEP VISION

P101 Model 120 Deep vision Digital Potentiometer Using Latest Mini Controller / Touch Keys built in Standard Cell

with builtin stirrer Electrode and 2 electrodes Platinum and Ref.

P102 Model 121 EI-Deep vision Digital Potentiometer using latest Mini Controller / Touch keys with Platinum and Burette)

Reference Electrodes (Option for attaching 1)

P103 Model 122 EI-Deep vision Digital Potentiometer using latest Mini Controller / Touch keys with Platinum and Burette)

Reference Electrodes (Option for attaching 2)

POTENTIOMETRIC ELECTRODES SPARE

- P104 Spare Deep Vision calomel (reference) Electrode Banana (or) BNC pin
- P105 Spare Deep Vision Glass Electrode Banana/BNC pin
- P106 Spare Deep Vision Platinum Electrode Banana pin
- P107 Spare Deep Vision Silver Electrode Banana pin
- P108 Spare Deep Vision Copper, Cadmium Aluminium (OR) Zinc Electrode with Banana pin
- P109 Spare Deep vision pH Combined Electrode
- P110 Spare Nickel Electrode
- P111 Spare Conductivity Cell K = 1.0 with banana Pin
- P112 Spare Metal stand to hold two Electrodes at a time
- P113 Magnetic stirrer DV make for 500 ml beaker

POLARIMETER ADVANCE MAKE

- P114 Polarimeter PA 1R Deluxe Model with Integrated Lighting System with Imported Eye piece
- P115 Model PA-1R Standard Model triple shadow with improved definition angular scale 0-360c accuracy 0.05 sample Tube size 220mm
supplied complete with integrated lighting assembly
- P117 Model PA-2 triple shadow 220mm standard Model with integrated power supply
- P118 Semi Automatic Polarimeter SAP-2 Advance Make
- P119 Automatic Polarimeter Digital Sucro Pol D Advance

POLARIMETER SPARES INDIAN GLASS

- P120 Polarimeter Spare Tube 100 mm centre or side filling
- P121 Polarimeter Spare Tube 200 mm centre or side filling
- P122 Polarimeter Spare Tube 400 mm centre or side filling

PETRICANS & PIPETTE CANS

- P123 Petri Dish Box Stainless Steel Elegantly designed. Made of thick Gauge SS Sheet
- P124 SS Pipette can : Size 40X 7.5CM (16")

PETRIDISH

- P125 Glass Anumbra 2"
- P126 Glass Anumbra 3"
- P127 Glass Anumbra 4"

- P128 Glass Anumbra 6"
- P129 Alluminium 2"
- P130 Alluminium 3"
- P131 Alluminium 4"
- P132 Alluminium 6"
- P133 SS petridish 50 mm

PORCELAIN WARE IMPOTRED

- P134 Mortar Ortar Pestle 8"
- P135 Basin 100mm
- P136 Crucible 25ml
- P137 Crucible 50ml

PORCELAIN WARE INDIAN MAKE-- JSIL

- P138 CrucibleCapacity 30
- P139 CrucibleCapacity 50
- P140 CrucibleCapacity 100
- CrucibleCapacity 150
- CrucibleCapacity 250
- CrucibleCapacity 500
- P141 Basin Export HT 50ml
- Mortar Pastle 100 mm / JSIL INDIAN
- Mortar Pastle 125 mm / JSIL INDIAN
- P142 Mortar Pastle 150 mm / JSIL INDIAN
- Mortar Pestle 200mm / JSIL INDIAN

PLATINUM CRUCIBLE Price Rs.5000/gm PRICE VARY ON DAY TO DAY BASIS

Prices are subject to change without notice

- P143 Platinum Capacity 10cc Dia 26mm Height 29mm Crucible 8gm Approx / withRIM 9.5gms Approx / With Lid 12gms Approx
- P144 Platinum Capacity 15cc Dia 29mm Height 33mm Crucible11gm Approx / withRIM 13gms Approx / with Lid 17gms Approx

P145 Platinum Capacity 25cc Dia 35mm Height 39mm Crucible 20gms Approx / with RIM 23gms Approx / with Lid 28gms Approx

PLATINUM WIRE Price Rs.5000/gm PRICE VARY ON DAY TO DAY BASIS

P146 Platinum Wire Thickness 0.2mm Gauge 36 Gauge / GM 57" Approx length 150cm/gm
P147 Platinum Wire Thickness 0.3mm Gauge 30 Gauge / GM 27" Approx length 66.5 cm/gm
P178 Platinum Wire Thickness 0.35mm Gauge 29 Gauge / GM 20" Approx length 49 cm/gm
P149 Platinum Wire Thickness 0.4mm Gauge 27 Gauge / GM 10" Approx length 37.5 cm/gm
P150 Platinum Wire Thickness 0.5mm Gauge 25 Gauge / GM 10" Approx length 24 cm/gm
P151 Platinum Wire Thickness 1.0mm Gauge Gauge / GM 2.5" Approx length 6 cm/gm

PLATINUM TIPPED TONGS & PT / PTRH

P152 Platinum tipped tongs 8"
P153 Platinum tipped tongs 12"
P154 PT / PT RH for Thermocouple price per inch

PROJECTION MICROSCOPE

PLEASE REFER MICROSCOPE "M"

PROJECTORS / LCD PROJECTOR / SCREEN ORDINARY

P155 Projection Screen Tripod Type 72 x 96 "

P156 LCD projection Sony Japan

PROJECTORS OVERHEAD

P157 Deep vision dual lamp halogen with high & low power selector switch and fan, economic Model

PHARMALAB EQUIPMENTS DEEP VISION

TABLET HARDNESS MANUAL

P159 Tablet Hardness Tester Monsanto type Brass chrome plated

P160 Tablet Hardness Tester PFIZER Dial Type 20kgs

TABLET HARDNESS DIGITAL MODEL

Tablet Hardness Test Digital Duralab Vernier caliper type 30kgs

Tablet Hardness Tester Digital Duralab for all types of tablets available in 10kgs & 50kgs capacity

P161 Tablet Hardness Tester uP Model Tabtest 3956 Portable LCD Display Range 5 - 500N

TAP DENSITY / BULK DENSITY APPARATUS

P162 Digital bulk density with 1-1999 programmable strokes and facility for holding 2no 50 ml cylinders Model 951 DV

P163a Spare adaptor for 951 Model 100 ml Cylinder

P163b Spare adaptor for 951 Model 250 ml Cylinder

P164 Microprocessor TAP Density Apparatus 1951 as per USP1 and USP2 with 100ml & 250ml adaptors

POWDER FLOW METER (DENSITY)

P165 EI DV Power Flow Meter Model PF 922 with 16 mesh and 1.03 mm Opening Complies with USP, Ph.Eur. and ASTM

PAPER CHROMATOGRAPHY KIT LABY

P166 Paper chromatography kit for chemistry labs. Deep vision. Completely designed Bakelite cabinet 6x8x9" with glass door

SS Solvent pot of 150ml Capacity. SS Rod hanger of 2mmx6" with 25 sheet of 1 chromo paper, stand glass sprayer with

rubber balloon glass syringe & 25 TLC capillaries

ANAEROBIC CULTURE JAR LABY

P169 Anaerobic culture jar for Microbiology and Biotechnology labs. Deep Vision. Supplied with transparent, unbreakable

polycarbonate jar of 3.5 Litter Capacity with sturdy aluminium Lid, clamp and sealing ring.

PHARMALAB COLLEGE EQUIPMENTS

AMPOULE FILLING AND SEALING MACHINE COLLEGE PATTERN

DISINTEGRATION TEST APPARATUS

Used for determination of disintegration time Of tablets. A motorized shaft moves in up & down direction at a Frequency of 30 cycles

per minute. Holds 6 glass tubes of standard size with stainless steel wire Gauge bottom Cylinder moves up and down with standard

dish inside in a 1 litter beaker filled of distilled water which is maintained at 37°C by thermostatically controlled hot plates (without beaker)

P170 Duralab Digital Tablet Disintegration Apparatus with single basket SDA 273 and Digital Counter

P171 Duralab Digital Tablet Disintegration Apparatus with Double Baskets SDA 274 and Digital Counter

P172 Tablet Disintegration Apparatus DV Model 901 Digital Twin Baskets with LED Display

- P173 Tablet Disintegration Appts.DV Model 904 Digital single Baskets with LED Display
- P174 Tablet Disintegration Appts.DV Model 1901 uP Based Twin Baskets 20 X 4 LCD Display 4 LED status indicator with water bath
- P175 Tablet Disintegration Appts.DV Model 2901 uP Based Twin Baskets with independent control, LED Display 4 LED
- status indicator with water bath USP Compliant
- P176 Spare Basket For DT SDA273 & 274 Complete Set

CAPSULE FILLING MACHINE

- P177 Capsule Filling Machine for 100 Capsules SS body
- P178 Tablet Counting Tray Aluminium Body for 50 Capsules
- P179 Capsule Counting Tray Aluminium Body for 100 Capsules

TABLET DISSOLUTION RATE TEST APPARATUS

- P180 Dissolution rate consist of water bath of 305mm long. 205mm wide and 230mm high fitted with thermostatic control maintains

the temp. of water at 47.0 °C with + 0.5°C Variation. Converted Vessel 100ml made of borosilicate glass.Variable speed motor,

cylindrical basket and shaft with blades of stainless steel Model EI DV 912 Single basket

- P181 Tablet Dissolution Rate Test Apparatus Micro processor Deep Vision Deluxe EI-DV-1912 Single Basket
- P182 Microprocessor Based 6 Bucket EI Deep Vision make 1916
- P183 Microprocessor Based 8 Bucket EI Deep Vision make 1918
- P184 Microprocessor Based 14 basket EI Deep vision Male 2914

TABLET FRIABILITY TEST APPARATUS

- P185 Deep Vision Microprocessor Friability Test Apparatus Model 1902 Double Drum with Digital Counter
- P186 Digital Friability Test Apparatus (Single Basket) DURALAB Superior SFA 263 with 3 Digit LED Display and 3Digit preset .
- able timer Speed 25 RPM
- P187 Tablet Friability Test Apparatus (Double Basket) DURALAB Superior SFA 264 with 3 Digit LED Display and 3Digit preset
- able timer. Speed 25 RPM

PUSH-PULL METER FORCE GAUGE

- P188 Push-Pull meter force Gauge 5kgs FG5000A Lutron Taiwan Digital (Optional RS232 + Software)
- P189 Push-Pull meter force Gauge 20kgs Model FG20kg Lutron Taiwan Digital
- P190 Push-pull meter force Gauge 20Kgs New Model FG 5020 Lutron Taiwan Digital
- P191 Push-Pull meter force Gauge 100kgs FG5100 Lutron Taiwan Digital
- P192 Push pull meter or Force Gauge AA make Indian 300gms/600gms/5kgs Analog
- P193 Push pull meter or Force Gauge AA make Indian 10Kgs/20Kgs/50Kgs Analog
- P194 Optional stand for the for AA make guage heavy type with 200x200mm platform InDian

MOULDS

- P195 Suppository mould (4holes) 1 ML
- P196 Suppository mould (6 holes) 1 ML
- P197 Suppository mould (12 holes) 1 ML
- P198 Lipstick Mould (4 Holes) 2 ML
- P199 Lipstick Mould (6 Holes) 2 ML
- P200 Lipstick Mould (12 Holes) 2 ML

PLASTIC LABWARE

BEAKER

- P201 Beaker 50 ml pkt of (12pcs)Each
- P202 Beaker 100 ml pkt of (12pcs)Each
- P203 Beaker 250 ml pkt of (12pcs)Each
- P204 Beaker 500 ml pkt of (12pcs)Each
- P205 Beaker 1000 ml pkt of (6pcs)Each
- P206 Beaker 2000 ml pkt of (6pcs)Each
- P207 Euro Design 5000 mlpkt of (2pcs)Each

BURETTE

- P208 Burette 25 ml pkt of (10pcs)Each
- P209 Burette 50 ml pkt of (10pcs)Each
- P210 Burette 100 mlpkt of (10pcs)Each

PIPETTE PUMP

- P217 Pipette Pump 2 ml pkt of (12pcs)Each
- P218 Pipette Pump 10 ml pkt of (12pcs)Each
- P219 Pipette Pump 25 ml pkt of (12pcs)Each

DROPPING BOTTLE

- P220 Dropping Bottle 60 ml pkt of (12pcs)Each
- P221 Dropping Bottle 125 ml pkt of (12pcs)Each

CONICAL FLASK

- P222 Conical Flask 100 ml pkt of (12pcs)Each
- P223 Conical Flask 250 ml pkt of (12pcs)Each
- P224 Conical Flask 500 ml pkt of (12pcs)Each

FISHER CLAMP

- P225 Fisher Clamp - Single pkt of (12pcs)Each
- P226 Fisher Clamp - Double pkt of (6pcs)Each
- P227 Funnel Holder - Single pkt of (12pcs)Each
- P228 Separatory Funnel Holder pkt of (12pcs)Each
- P229 Retort Stand 225x150mm-Side Hole

DESICCATOR PLASTIC

- P230 (Vacuum) PP/PC 150 mm
- P231 (Vacuum) PP/PC 200 mm
- P232 (Vacuum) PP/PC 250 mm
- P233 (Vacuum) PP/PC 300 mm
- P234 (Plain) PP/PC 150 mm
- P235 (Plain) PP/PC 200 mm
- P236 (Plain) PP/PC 250 mm
- P237 (Plain) PP/PC 300 mm

KIPPS APPARATUS

- P238 Kipp's Apparatus 250 ml

- P239 Kipp's Apparatus 500 ml
P240 Kipp's Apparatus 1000 ml

FUNNEL

- P241 Funnel 50mm pkt of (72pcs)Each
P242 Funnel 75 mm pkt of (36pcs)Each
P243 Funnel- Long Stem 100 mm pkt of (36pcs)Each
P244 Funnel- Long Stem 150 mm pkt of (12pcs)Each
P245 Buchner Funnel 70 mm pkt of (12pcs)Each
P246 Buchner Funnel 110 mm pkt of (6pcs)Each
P247 Buchner Funnel 90 mm pkt of (12pcs)Each

ATOMIC Model

- P248 Atomic Model Set-Senior 1
P249 Atomic Model Set-junior 1
P250 ORD Atomic Model 60 Balls
P251 Atomic Model Set (Euro design)Student Set
P252 Atomic Model Set (Euro design)-Teacher Set

TEST TUBE STAND

- P253 16 mm to 25 mm 6 hols
P254 25 mm x 12 Tubes
P255 20 mm x 40 Tubes

REAGENT BOTTLE

- P256 Narrow Mouth 60 ml pkt of (12pcs)Each
P257 Narrow Mouth 125 ml pkt of (12pcs)Each
P258 Narrow Mouth 250 ml pkt of (12pcs)Each
P259 Narrow Mouth 500 ml pkt of (12pcs)Each
P260 Narrow Mouth 1000 ml pkt of (6pcs)Each
P261 Wide Mouth 60ml pkt of (12pcs)Each
P262 Wide Mouth 125 ml pkt of (12pcs)Each

- P263 Wide Mouth 250 ml pkt of (12pcs)Each
P264 Wide Mouth 500 ml pkt of (12pcs)Each
P265 Wide Mouth 1000 ml pkt of (6pcs)Each

CRYO RACK

- P266 carboy with stop clock 10lt
P267 carboy with stop clock 20lt

CENTRIFUGE TUBE

- P268 Centrifuge Tube 15 ml
P269 Centrifuge Tube 50 ml

WASH BOTTLE

- P270 Wash Bottle 125ml pkt of (12pcs)Each
P271 Wash Bottle 250 ml pkt of (12pcs)Each
P272 Wash Bottle 500ml pkt of (6pcs) Each
P273 Wash Bottle 1000ml pkt of (6pcs)Each

COPLIN JAR

- P274 Coplin Jar pkt of (12pcs)Each

SLIDE BOX

- P275 SLide Box-25 pkt of (12pcs)Each
P276 SLide Box-50 pkt of (12pcs)Each
P277 SLide Box-100 pkt of (6pcs)Each

URINE CONTAINER

- P278 Urine Container 60 ml pkt of (100pcs)Each

CRAY RACK

- P279 Cryo Rack pkt of (2pcs)Each

MICRO TIP BOX

- P280 96 Tip of 2-200ul pkt of (6pcs)Each
P281 96Tip of 200-1000ul pkt of (6pcs)Each

RETORT STAND

P282 Side hole 9 x 6

P283 centre hole 300 x 200

PIPETTE STAND

P284 Horizontal-For 12 pkt of (6pcs)Each

P285 Vertical-For 28

P286 Rotatry-For 94

MEASURING CYLINDER

P287 10 ml Cylinderic pkt of (24pcs)Each

P288 25 ml Cylinderic pkt of (12pcs)Each

P289 50 ml Cylinderic pkt of (12pcs)Each

P290 100 ml Cylinderic pkt of (12pcs)Each

P291 250 ml Cylinderic pkt of (6pcs)Each

P292 500 ml Cylinderic pkt of (4pcs)Each

P293 1000ml Cylinderic pkt of (3pcs)Each

P294 2000ml Cylinderic pkt of (2pcs)Each

MEASURING JUG

P295 250 ml pkt of (12pcs)Each

P296 500 ml pkt of (12pcs)Each

P297 1000 ml pkt of (6pcs)Each

P298 2000 ml pkt of (6pcs)Each

P299 Euro Design- 5000 ml pkt of (4pcs)Each

PETRI DISH

P300 Petri Dish 50 mm pkt of (36pcs)Each

P301 Petri Dish 75 mm pkt of (36pcs)Each

P302 Petri Dish 100 mm pkt of (36pcs)Each

P303 Separatory Funnel 500 ml pkt of (2pcs)Each

P304 Separatory Funnel 250 ml pkt of (2pcs)Each

P305 Separatory Funnel 100 ml pkt of (2pcs)Each

- P306 Spatula 200 mm pkt of (12pcs)Each
LOGIC GATE / PN GENER / OP - AMP METERS (PHYSICS LAB)
- P307 OP - AMP Trainer Digital
- P308 PN ZENER Diode characteristic Apparatus Analog 4 METERS
- P309 PN ZENER Diode forward & reverse with 2 digital meter combined
- P310 Logic Gate 6 in 1 with meter
- P311 Battery Eliminator 2A/12V
- P312 Battery Eliminator 3A/12V
- P313 Solar Cell characteristic apparatus with two meters
- P314 Transistor NPN/ PNP Analog Model
- P315 Transistor NPN/ PNP Digital Model

PETROLEUM TESTING INSTRUMENTS

SOFTENING POINT APPARATUS

- P316 Spare Ring and Ball Apparatus with 600 ml glass beaker
- P317 Electric heated with motorized stirrer and energy regulator (IP Thermometer Optional Ref Page " T ")
- P318 Electric heated with motorized stirrer and Digital Temperature Controller
- P319 Spare Strainer for filtering oil
- P320 withdrawal tube
- P321 Spare beaker 600 ml Glass Borosilicate
- FLASH & FIRE POINT APPARATUS : PENESKY MARTIN (AS PER IS) DV CLOSED CUP**
- P322 Electrically heated with energy regulator. Oil Jet or gas Jet (IP Thermometer Optional Ref Page " T ")
- P323 Electrically heated with Digital temperature controller OIL or GAS jet
- P324 Spare Oil or Gas Jet with Cup Assembly
- P325 Semi Automatic Pensky Martin Apparatus Digital with motorized stirrer and press button firing-
- P326 Spare cup Pensky martin apparatus for Semi Automatic Model

CLEVELAND OPEN CUP APPARATUS (AS PER I1448) DV OPEN CUP

- P327 Electrically heated with energy regulator with Gas Oil jet Combined (IP Thermometer Optional Ref Page " T ")

P328 Electrically heated with Digital temperature controller

P329 Spare Cup assembly for gas jet & oil jet

ABLES FLASH AND FIRE POINT (AS PER IS) DEEP VISION INDIAN MAKE

P330 Electrically heated with energy regulator with Gas or Oil jet (IP Thermometer Optional Ref Page " T ")

P331 Electrically heated with energy regulator and concealed hot plate (IP Thermometer Optional Ref Page " T ")

P332 Electrically heated with Digital temperature controller

P333 Spare Cup assembly for Abel's with gas jet or oil jet

(REDWOOD VISCOMETER SAYBOLT VISCOMETER TAR VISCOMETER PLEASE REF PAGE V)

CLOUD AND POUR POINT APPARATUS (AS PER IS)

P334 Single test with insulated body (IP Thermometer Optional Ref Page " T ")

P335 Four test with insulated body (IP Thermometer Optional Ref Page " T ")

SMOKE POINT APPARATUS

P336 Smoke Point Apparatus as per IP 31 or IP 32

PENETROMETER APPARATUS

P337 For penetration test on a wide variety of materials such as grease, petroleum, bitumen, Tar, wax, polish, rubber, etc, and

pharmaceutical creams. The Dial graduated from 0 to 400 in one tenth millimeter sub division supplied with needle & containers

P338 Penetrometer as same above with Needle, Cone and Containers

P339 Same as above with Digital cut off timer and Adjustable Base

P340 Fruit Hardness / Penetrometer : " Ref F"

ANILINE POINT APPARATUS

P341 Method A For most petroleum products as per IP 2 & IS 1448 (P3), ASTM D 611 with HEAER (IP Thermometer Optional Ref Page " T ")

CARBON RESIDUE

P342 Carbon Residue Ramsbottom with ER & Cocki & Bulbs

P343 Carbon Residue Condration Model with Meccar Gas Burner

DISTILLATION APPARATUS (AS PER IP123,24 IS448:18)

Electricity heated Model with energy regulator for Determination of Distillation characteristic of Petroleum products

P344 Single Distillation MS Stand SS Tank Regular gauge

P345 Single Distillation MS Stand SS Tank Heavy gauge

DROP POINT APPARATUS

P348 Drop point Apparatus Deep Vision Make (IP Thermometer Optional Ref Page " T ")

VICAT NEEDLE

P349 Vicat Needle with Dashpot

CALIBRATION CHARGES EXTRA & DEMO/ INSTALLATION CHARGES EXTRA AS APPLICABLE FOR ALL THE ABOVE INSTRUMENTS

COPPER STRIP CORROSION TEST APPARATUS

COPPER STRIP CORROSION TEST APPARATUS

PHYSICS ITEMS LIST Available Stock Only Any one need Please Inform

P350 Optical Bench Tripple Rod 1.5 Meter

P351 Plug Key Four Way

P352 Resistance Coil 1,2,3,5,10 Ohms (6 PC Each)

P353 Meter Bridge

P354 Potentiometer Ten Wire

P355 Ohm's Law App.with Transformer

P356 Resistance in series Kit

P357 Resistance in Parallel Kit

P358 Tangent Galvanometer Brass

P359 Motor Heavy

P360 Gold Leaf Electroscope

P361 Daniel Cell Copper

P362 Slotted weight 50 gm X 5 Iron

P363 Newton 2nd Law Classic

P364 Young Modulous

P365	Rising Table with Stand
P366	Resonance Brass
P367	Ring & Ball 18 mm Handle Type
P368	Faraday's Law Apparatus
P369	Gas Tap 2 way
P370	Gas Tap 4 way
P371	Cork Bores Set of 6 German Type
P372	Ammeter Analog
P373	Voltmeter Analog
P374	Galvanometer Analog
P375	Model of Thermostat
P376	Plug Key One Way
P377	Plug Key Two Way
P378	Reversing Switch
P379	Resistance Box 2, Dial
P380	Resistance Box 4, Dial
P381	Rheostat 6" 50 Ohm /1.6 Amps
P382	Rheostat 8" 95 ohm / 1.4 Amps
P383	Post Office Box Four Ratio
P384	Water Voltmeter
P385	Micrometer 20 mm
P386	Sphrometer 1/100
P387	Newton 1 st Law
P388	3 way Tap Brass Chrome plated